

18V Mobile 3/8" Angle Impact Wrench



DTL063





Model No.	Barcode	Description	Packaging Dimensions LxWxH (cm)	Packaged Item Weight (kg)
DTL063Z	0088381664516	18V ANGLE IMPACT WRENCH LI-ION	35 x 11 x 9	1.34

- Develop an angle impact wrench that features a compact head height and that is ergonomically designed to fasten bolts in tight spaces
- Designed to suit the needs of mechanics, fabricators and tradespeople in manufacturing



Product Overview



Compact angle head

Ergonomically designed

Forward and reverse switch

LED joblight

Paddle switch design





- **Compact angle head** – head height only 43.5mm allows for easy access to screws in tight spaces
- **Ergonomically designed** – soft grip with slim grip portion providing a comfortable grip and more control
- **Forward and reverse switch** – conveniently located forward and reverse switch located at the bottom of the grip easily operable with single hand
- **Paddle switch design** – durable easy to operate paddle switch allows easy single handed operation
- **LED joblight** – after pulling the switch trigger the light turns on automatically before the motor begins to turn. Keeping illuminated for 10 seconds after trigger release


Drive shank	3/8" Square
No load speed	0-2,000rpm
Impacts per minute	0-3,000ipm
Max. fastening torque	60N.m
Overall length	387mm
Weight w/BL1860B	1.7kg

Performance



Makita built motor and impact mechanism produces 60N.m of torque

Compact



Compact angle head design for use in tight spaces

Comfort



Large conveniently located paddle switch for comfortable operation




Convenience



Forward and reverse switch located at the base of the tool of simply one hand operation

Our Range



	DTL063	DTL061	DDA351
			
Drive shank:	3/8" square	1/4" Hex	Keyless drill chuck
No load speed: rpm	0-2,000	0-2,000	0-1,800
Impacts per minute: ipm	0-3,000	0-3,000	-
Max. fastening torque: N.m	60	60	-
Overall length: mm	387	387	326mm
Skin Weight: kg	1.1	1.1	1.1

Standard Equipment		
	-	Belt Clip

Optional Equipment		
	135183-8	Angle 1/4" Hex head
	192440-7	Straight Angle Impact Head
	BL1815N to BL1860B	18v Li-Ion Batteries BL1815N 1.5Ah to BL1860B 6Ah
	DC18RC	240V Fast Charger
	DC18SD	240V Standard Charger
	DC18RD	Dual Port Rapid Charger